

CONDENSATE DRAIN VALVES

Timer Controlled to 16bar

TEC-11 Inline Timer Controlled Drain		Connection	Voltage	Pressure	Orifice
EDV1000-240A1/8	TEC-11	1/8" BSP	230VAC	16 bar max.	2.0 mm
EDV1000-240A1/4	TEC-11	1/4" BSP	230VAC	16 bar max.	2.0 mm
EDV1000-115A1/8	TEC-11	1/8" BSP	115VAC	16 bar max.	2.0 mm
EDV1000-115A1/4	TEC-11	1/4" BSP	115VAC	16 bar max.	2.0 mm
EDV1000-24A1/8	TEC-11	1/8" BSP	24VAC	16 bar max.	2.0 mm
EDV1000-24A1/4	TEC-11	1/4" BSP	24VAC	16 bar max.	2.0 mm
EDV1000-24D1/8	TEC-11	1/8" BSP	24VDC	16 bar max.	2.0 mm
EDV1000-24D1/4	TEC-11	1/4" BSP	24VDC	16 bar max.	2.0 mm



EZ-1 Economy Timer Controlled Drain		Connection	Voltage	Pressure	Orifice
EDV2000-115A1/2	EZ-1	1/2" BSP	115VAC	16 bar max.	4.0 mm
EDV2000-115A1/4	EZ-1	1/4" BSP	115VAC	16 bar max.	4.0 mm
EDV2000-115A3/8	EZ-1	3/8" BSP	115VAC	16 bar max.	4.0 mm
EDV2000-240A1/2	EZ-1	1/2" BSP	230VAC	16 bar max.	4.0 mm
EDV2000-240A3/8	EZ-1	3/8" BSP	230VAC	16 bar max.	4.0 mm
EDV2000-240A1/4	EZ-1	1/4" BSP	230VAC	16 bar max.	4.0 mm

NB: Add suffix "-AS" to include power lead & filter valve / strainer



FLUIDRAIN Premium Timer Controlled Drain		Connection	Voltage	Pressure	Orifice
EDV2000-240A1/4 FL	FLUIDRAIN	1/4" BSP	230VAC	16 bar max.	4.5 mm
EDV2000-240A3/8 FL	FLUIDRAIN	3/8" BSP	230VAC	16 bar max.	4.5 mm
EDV2000-240A1/2 FL	FLUIDRAIN	1/2" BSP	230VAC	16 bar max.	4.5 mm
EDV2000-115A1/4 FL	FLUIDRAIN	1/4" BSP	115VAC	16 bar max.	4.5 mm
EDV2000-115A3/8 FL	FLUIDRAIN	3/8" BSP	115VAC	16 bar max.	4.5 mm
EDV2000-115A1/2 FL	FLUIDRAIN	1/2" BSP	115VAC	16 bar max.	4.5 mm
EDV2000-24A1/4 FL	FLUIDRAIN	1/4" BSP	24VAC	16 bar max.	4.5 mm
EDV2000-24A3/8 FL	FLUIDRAIN	3/8" BSP	24VAC	16 bar max.	4.5 mm
EDV2000-24A1/2 FL	FLUIDRAIN	1/2" BSP	24VAC	16 bar max.	4.5 mm
EDV2000-24D1/4 FL	FLUIDRAIN	1/4" BSP	24VDC	16 bar max.	4.5 mm
EDV2000-24D3/8 FL	FLUIDRAIN	3/8" BSP	24VDC	16 bar max.	4.5 mm
EDV2000-24D1/2 FL	FLUIDRAIN	1/2" BSP	24VDC	16 bar max.	4.5 mm
EDV2000-12D1/4 FL	FLUIDRAIN	1/4" BSP	12VDC	16 bar max.	4.5 mm
EDV2000-12D3/8 FL	FLUIDRAIN	3/8" BSP	12VDC	16 bar max.	4.5 mm
EDV2000-12D1/2 FL	FLUIDRAIN	1/2" BSP	12VDC	16 bar max.	4.5 mm
EDV2000-380D1/4 FL	FLUIDRAIN	1/4" BSP	380VAC	16 bar max.	4.5 mm
EDV2000-380D3/8 FL	FLUIDRAIN	3/8" BSP	380VAC	16 bar max.	4.5 mm
EDV2000-380D1/2 FL	FLUIDRAIN	1/2" BSP	380VAC	16 bar max.	4.5 mm



FLUIDRAIN-S Stainless Steel Version of Fluidrain		Connection	Voltage	Pressure	Orifice
EDV2000-240A1/4 FL-S	FLUIDRAIN-S	1/4" BSP	230VAC	16 bar max.	4.5 mm
EDV2000-240A3/8 FL-S	FLUIDRAIN-S	3/8" BSP	230VAC	16 bar max.	4.5 mm
EDV2000-240A1/2 FL-S	FLUIDRAIN-S	1/2" BSP	230VAC	16 bar max.	4.5 mm



NB: Add suffix "-N" for NPT thread alternative

CONDENSATE DRAIN VALVES

High Pressure to 400bar

COMBO-D-LUX *Digital Timer Controlled Valve With Integral Ball Valve Strainer*

		Connection	Voltage	Pressure	Orifice
EDV2000-240V-DLUX	COMBO-D-LUX	1/2" BSP	230VAC	16 bar max.	4.0 mm
EDV2000-115V-DLUX	COMBO-D-LUX	1/2" BSP	115VAC	16 bar max.	4.0 mm
EDV2000-24VA-DLUX	COMBO-D-LUX	1/2" BSP	24VAC	16 bar max.	4.0 mm
EDV2000-24VD-DLUX	COMBO-D-LUX	1/2" BSP	24VDC	16 bar max.	4.0 mm



FLUIDRAIN-HP *Brass High Pressure Version of Fluidrain*

		Connection	Voltage	Pressure	Orifice
EDV2000-240A FL-40	FLUIDRAIN-HP40	1/4" BSP	230VAC	40 bar max.	2.0 mm
EDV2000-115A FL-40	FLUIDRAIN-HP40	1/4" BSP	115VAC	40 bar max.	2.0 mm
EDV2000-24A FL-40	FLUIDRAIN-HP40	1/4" BSP	24VAC	40 bar max.	2.0 mm
EDV2000-24D FL-40	FLUIDRAIN-HP40	1/4" BSP	24VDC	40 bar max.	2.0 mm
EDV2000-240A FL-80	FLUIDRAIN-HP80	1/4" BSP	230VAC	80 bar max.	2.0 mm
EDV2000-115A FL-80	FLUIDRAIN-HP80	1/4" BSP	115VAC	80 bar max.	2.0 mm
EDV2000-24A FL-80	FLUIDRAIN-HP80	1/4" BSP	24VAC	80 bar max.	2.0 mm
EDV2000-24D FL-80	FLUIDRAIN-HP80	1/4" BSP	24VDC	80 bar max.	2.0 mm



FLUIDRAIN-S-HP *Stainless Steel High Pressure Version of Fluidrain*

		Connection	Voltage	Pressure	Orifice
EDV2000-240A FL-S40	FLUIDRAIN-S40	1/4" BSP	230VAC	40 bar max.	2.0 mm
EDV2000-115A FL-S40	FLUIDRAIN-S40	1/4" BSP	115VAC	40 bar max.	2.0 mm
EDV2000-24A FL-S40	FLUIDRAIN-S40	1/4" BSP	24VAC	40 bar max.	2.0 mm
EDV2000-24D FL-S40	FLUIDRAIN-S40	1/4" BSP	24VDC	40 bar max.	2.0 mm
EDV2000-240A FL-S80	FLUIDRAIN-S80	1/4" BSP	230VAC	80 bar max.	2.0 mm
EDV2000-115A FL-S80	FLUIDRAIN-S80	1/4" BSP	115VAC	80 bar max.	2.0 mm
EDV2000-24A FL-S80	FLUIDRAIN-S80	1/4" BSP	24VAC	80 bar max.	2.0 mm
EDV2000-24D FL-S80	FLUIDRAIN-S80	1/4" BSP	24VDC	80 bar max.	2.0 mm
EDV2000-240A FL-S250	FLUIDRAIN-S250	1/4" BSP	230VAC	250 bar max.	1.2 mm
EDV2000-115A FL-S250	FLUIDRAIN-S250	1/4" BSP	115VAC	250 bar max.	1.2 mm
EDV2000-24A FL-S250	FLUIDRAIN-S250	1/4" BSP	24VAC	250 bar max.	1.2 mm
EDV2000-24D FL-S250	FLUIDRAIN-S250	1/4" BSP	24VDC	250 bar max.	1.2 mm
EDV2000-240A FL-S350	FLUIDRAIN-S350	1/4" BSP	230VAC	350 bar max.	1.0 mm
EDV2000-115A FL-S350	FLUIDRAIN-S350	1/4" BSP	115VAC	350 bar max.	1.0 mm
EDV2000-24A FL-S350	FLUIDRAIN-S350	1/4" BSP	24VAC	350 bar max.	1.0 mm
EDV2000-24D FL-S350	FLUIDRAIN-S350	1/4" BSP	24VDC	350 bar max.	1.0 mm
EDV2000-240A FL-S400	FLUIDRAIN-S400	1/4" BSP	230VAC	400 bar max.	0.9 mm
EDV2000-115A FL-S400	FLUIDRAIN-S400	1/4" BSP	115VAC	400 bar max.	0.9 mm
EDV2000-24A FL-S400	FLUIDRAIN-S400	1/4" BSP	24VAC	400 bar max.	0.9 mm
EDV2000-24D FL-S400	FLUIDRAIN-S400	1/4" BSP	24VDC	400 bar max.	0.9 mm



TEC-44 *Motorized Ball Valve for highly contaminated condensate up to 40bar*

		Connection	Voltage	Pressure	Orifice
EDV4000-240A-40	TEC-44 Nickel plated brass	1/2" BSP	230VAC	40 bar max.	12.7 mm
EDV4000-115A-40	TEC-44 Nickel plated brass	1/2" BSP	115VAC	40 bar max.	12.7 mm
EDV4000-24D-40	TEC-44 Nickel plated brass	1/2" BSP	24VDC	40 bar max.	12.7 mm



NB: Add suffix "-N" for NPT thread alternative

CONDENSATE DRAIN VALVES

Level Sensing

MAGY *Magnetically Operated Zero Loss Drain*
MDV3902-1/2 MAGY-UL
MDV3904-1/2 MAGY

Connection
1/2" BSP
1/2" BSP

Pressure
16 bar max.
16 bar max.

Inlet
Single
Dual

NUFORS *Pneumatically Operated Drain*
PDV3805-1/2 NUFORS-CR

Connection
1/2" BSP

Pressure
3 - 16 bar max.

Capacity
100 m3/min.



KAPTIV-MD *Electronic Sensed Drain*

EDV3402-1/2 KAPTIV-MD
EDV3422-1/2 KAPTIV-MD
EDV3462-1/2 KAPTIV-MD
EDV3482-1/2 KAPTIV-MD

Connection
1/2" BSP
1/2" BSP
1/2" BSP
1/2" BSP

Voltage
230VAC
115VAC
24 VAC
24 VDC

Pressure
16 bar max.
16 bar max.
16 bar max.
16 bar max.

Capacity
10 m3/min.
10 m3/min.
10 m3/min.
10 m3/min.



KAPTIV-CS *Electronic Sensed Drain with Alarm Function*

EDV3403-1/2-A3 KAPTIV-CS - A3 NO
EDV3423-1/2-A3 KAPTIV-CS - A3 NO
EDV3463-1/2-A3 KAPTIV-CS - A3 NO
EDV3483-1/2-A3 KAPTIV-CS - A3 NO

Connection
1/2" BSP
1/2" BSP
1/2" BSP
1/2" BSP

Voltage
230VAC
115VAC
24 VAC
24 VDC

Pressure
16 bar max.
16 bar max.
16 bar max.
16 bar max.

Capacity
100 m3/min.
100 m3/min.
100 m3/min.
100 m3/min.

EDV3403-1/2-A4 KAPTIV-CS - A4 NC
EDV3423-1/2-A4 KAPTIV-CS - A4 NC
EDV3463-1/2-A4 KAPTIV-CS - A4 NC
EDV3483-1/2-A4 KAPTIV-CS - A4 NC

1/2" BSP
1/2" BSP
1/2" BSP
1/2" BSP

230VAC
115VAC
24 VAC
24 VDC

16 bar max.
16 bar max.
16 bar max.
16 bar max.

100 m3/min.
100 m3/min.
100 m3/min.
100 m3/min.



KAPTIV-CS-D-LUX *Electronic Sensed Drain with Alarm Function & Digital Programming*

EDV3403-1/2-DLUX KAPTIV-CS-D-LUX
EDV3423-1/2-DLUX KAPTIV-CS-D-LUX
EDV3483-1/2-DLUX KAPTIV-CS-D-LUX

Connection
1/2" BSP
1/2" BSP
1/2" BSP

Voltage
230VAC
115VAC
24VDC

Pressure
16 bar max.
16 bar max.
16 bar max.

Capacity
100 m3/min.
100 m3/min.
100 m3/min.



KAPTIV-CS-D-LUX *Electronic Sensed Drain with Alarm Function & Digital Programming HP*

EDV3403-1/2-DLUX-50 KAPTIV-CS-D-LUX-HP
EDV3423-1/2-DLUX-50 KAPTIV-CS-D-LUX-HP

Connection
1/2" BSP
1/2" BSP

Voltage
230VAC
115VAC

Pressure
50 bar max.
50 bar max.

Capacity
100 m3/min.
100 m3/min.



KAPTIV-CS-HP *Electronic Sensed Drain with Alarm Function for High Pressure Applications*

EDV3403-1/2-A1-HP KAPTIV-CS-HP A1
EDV3423-1/2-A1-HP KAPTIV-CS-HP A1
EDV3463-1/2-A1-HP KAPTIV-CS-HP A1
EDV3483-1/2-A1-HP KAPTIV-CS-HP A1
EDV3403-1/2-A2-HP KAPTIV-CS-HP A2
EDV3423-1/2-A2-HP KAPTIV-CS-HP A2
EDV3463-1/2-A2-HP KAPTIV-CS-HP A2
EDV3483-1/2-A2-HP KAPTIV-CS-HP A2

Connection
1/2" BSP
1/2" BSP
1/2" BSP
1/2" BSP
1/2" BSP
1/2" BSP
1/2" BSP

Voltage
230VAC
115VAC
24 VDC
230VAC
115VAC
24 VAC
24 VDC

Pressure
50 bar max.
50 bar max.
50 bar max.
50 bar max.
50 bar max.
50 bar max.
50 bar max.

Capacity
100 m3/min.
100 m3/min.
100 m3/min.
100 m3/min.
100 m3/min.
100 m3/min.
100 m3/min.

ACCESSORIES

COILS FOR TEC-11

		Voltage	Watt	Hertz
EDVCOIL-TEC 11-240	Coil JCS	230VAC	6W	50/60Hz
EDVCOIL-TEC 11-115	Coil JCS	115VAC	6W	50/60Hz
EDVCOIL-TEC 11-48	Coil TM25	48VAC	5W	50/60Hz
EDVCOIL-TEC 11-24A	Coil TM25	24VAC	7W	50/60Hz
EDVCOIL-TEC 11-24D	Coil TM25	24VDC	9W	

COILS FOR FRUIDRAINS, COMBO

D-LUX AND EZ1

		Voltage	Watt	Hertz
EDVCO-EZ1-DL-FL-380	Coil JCM	380VAC	7W	50/60Hz
EDVCO-EZ1-DL-FL-240	Coil JCM	230VAC	10W	50/60Hz
EDVCO-EZ1-DL-FL-115	Coil JCM	115VAC	13W	50/60Hz
EDVCO-EZ1-DL-FL-24	Coil JCM	24VAC	10W	50/60Hz
EDVCO-EZ1-DL-FL-240L	Coil JCL	230VAC	16W	50/60Hz
EDVCO-EZ1-DL-FL-115L	Coil JCL	115VAC	16W	50/60Hz
EDVCO-EZ1-DL-FL-24L	Coil JCL	24VAC	16W	50/60Hz
EDVCO-EZ1-DL-FL-24D	Coil JCL	24VDC	18W	
EDVCO-EZ1-DL-FL-12	Coil JCL	12VDC	19W	



ELECTRONIC TIMER - ANALOGUE

	Colour	ON Time	OFF Time
EDVT-FL-BLACK	FLUIDRAIN	Black	0.5 - 10 sec. adj.
EDVT-FL-RED	FLUIDRAIN	Red	0.5 - 10 sec. adj.
EDVT-FL-BLUE	FLUIDRAIN	Blue	0.5 - 10 sec. adj.
EDVT-EZ1-BLACK	EZ-1	Black	0.5 - 10 sec. adj.
EDVT-EZ1-RED	EZ-1	Red	0.5 - 10 sec. adj.
EDVT-EZ1-BLUE	EZ-1	Blue	0.5 - 10 sec. adj.
EDVTA-TEC11-2.0	TEC 11	Black	2.0 sec. fixed
EDVTA-TEC11-0.3	TEC 11	Black	0.3 sec. fixed



ELECTRONIC TIMER - DIGITAL

	Colour	Voltage	ON Time
EDVTD-D-LUX-110-240	D-LUX	110-240VAC/DC 50/60Hz	0.1 sec. - 99 hours adj.
EDVTD-D-LUX-10-48	D-LUX	10- 48VAC/DC 50/60Hz	0.1 sec. - 99 hours adj.
EDVTD-D-LUX-48-115	D-LUX	48-115VAC/DC 50/60Hz	0.1 sec. - 99 hours adj.



ACCESSORIES FOR TIMER

DRAINS

	Description
EDV9000-3/8-BVS-L	BVS 3/8-1/2 BSP Ball valve/Strainer
EDV9002-1/4-BVS-L	BVS 1/2-1/4 BSP Ball valve/Strainer
EDV9007-1/2-BVS-L	BVS 1/2-1/2 BSP Ball valve/Strainer
EDV-W-BKT-FL	Wall Mounting Bracket for FLUIDRAIN
EDVAD-FIL TEC 11-20	Adapter for TEC11 20mm
EDVAD-FRL TEC 11-18	Adapter for TEC11 18mm
EDVCON-HOSE-10	Outlet Hose Pipe Connector 1/2" - 10mm
EDVCO-SEALING	IP Coil Sealing Set (incl. 2 seals & topnut)

DIN CONNECTORS

EDVCON-DIN-A	Connector DIN plug form A
EDVCON-DIN-B	Connector DIN plug form B
EDVAD-DIN-B-A	DIN plug form B to DIN plug form A adapter



SERVICE KITS

	Description	LIST PRICE
MDVSK-MAGY	MAGY (old version) service kit	\$ 95.00
MDVSK-MAGY UL	MAGY-UL and MAGY (2017 version) service kit	\$ 95.00
EDVSK-KAPTIV CS/DLUX	KAPTIV-CS, KAPTIV-D-LUX, service kit	\$ 70.00
EDVSK-KAPTIV MD	KAPTIV-MD service kit	\$ 70.00
EDVSK-KAPTIV CS-HP	KAPTIV-CS-HP service kit	\$ 175.00
PDVSK-NUFORS CR	NUFORS-CR service kit	\$ 295.00
EDVSK-TEC11	TEC-11 service kit	\$ 35.00
EDVSK-FL-COMBO-EZ1	FLUIDRAIN(-COMBO), EZ-1 service kit	\$ 35.00
EDVSK-FL-HP80	FLUIDRAIN-HP-80 service kit (up to 80 bar)	\$ 63.00
EDVSK-FL-HP250	FLUIDRAIN-HP-250 service kit (up to 250 bar)	\$ 345.00
EDVSK-FL-HP350	FLUIDRAIN-HP-350 service kit (up to 350 bar)	\$ 420.00
EDVSK-FL-HP400	FLUIDRAIN-HP-400 service kit (up to 400 bar)	\$ 525.00
EDVSK-TEC44	TEC-44 service kit	\$ 165.00

ACCESSORIES FOR ZERO AIR-LOSS

DRAINS

	Description	LIST PRICE
EDV9008-1/2-BVS-1/2	In-line strainer	\$ 38.00
EDV9017-1/2-BVS-SM	BVS 1/2 - 1/2 BSP Ball Valve (small Version)	\$ 23.00
EDV-FLW-BKT-CS	Floor & Wall Bracket Set for one unit KAPTIV-CS models	\$ 35.00
EDV-FL-BKT-CS	Floor Bracket Set for three units KAPTIV-CS models	\$ 88.00
EDVDH-230VAC-BSP	Drain Heater 230VAC BSP	\$ 960.00
EDVDH-115VAC-BSP	Drain Heater 115VAC BSP	\$ 960.00
EDVDH-24VAC-BSP	Drain Heater 24VAC BSP	\$ 960.00
EDVDH-24VDC-BSP	Drain Heater 24VDC BSP	\$ 960.00
EDVCON-AIRBLEED	Nipple G1/2-G1/2 with air bleed connection (air lock adaptor)	\$ 25.00
EDVAD-SIDEINLET	Side Inlet Adaptor KAPTIV-MD G1/2	\$ 32.00

AIR SAVER VALVES for saving compressed air

	Connection	Voltage	Pressure	Remote	LIST PRICE	
AS7005	AIR-SAVER	1"	230VAC	16 bar max.	No	\$ 620.00
AS7025	AIR-SAVER	1"	115VAC	16 bar max.	No	\$ 620.00
AS7007	AIR-SAVER	2"	230VAC	16 bar max.	No	\$ 1,800.00
AS7027	AIR-SAVER	2"	115VAC	16 bar max.	No	\$ 1,800.00
AS7005RB	AIR-SAVER	1"	230VAC	16 bar max.	Yes - 5 metres	\$ 1,035.00
AS7025RB	AIR-SAVER	1"	115VAC	16 bar max.	Yes - 5 metres	\$ 1,035.00
AS7007RB	AIR-SAVER	2"	230VAC	16 bar max.	Yes - 5 metres	\$ 2,115.00
AS7027RB	AIR-SAVER	2"	115VAC	16 bar max.	Yes - 5 metres	\$ 2,115.00
ASREMSW	Remote Switching Kit for Air Saver including 5.0metre connecting cable					\$ 410.00



LOCATORS

	Description	LIST PRICE
LOCATOR	7900 LOCATOR Ultrasonic Compressed Air Leak Detector	\$ 4,850.00
LOC-EV	7910 LOCATOR-EV Ultrasonic Compressed Air Leak Detector	\$ 3,330.00
LOC-D-LUX	7901 LOCATOR-D-LUX Ultrasonic Compressed Air Leak Detector with Hard Hat Head Phones	\$ 5,350.00
LOC-D-LUX-HS	7905 LOCATOR- D-LUX Headset only for hardhat use	\$ 465.00
LOC-D-LUX-HSCC	7906 LOCATOR-D-LUX Carrying Case only for deluxe headset	\$ 450.00

